

ELSEVIER

Molecular and Cell Biology of Lipids

Vol. 1438, 1999

Author Index



www.elsevier.com/locate/bha

Abraham, W.-R., see Yakimov, M.M. (1438) 273

Adlercreutz, H., see Meng, Q.-H. (1438) 369

Andersson, A.-S., see Rilfors, L. (1438) 281

Andersson, U., Yang, Y.-Z., Björkhem, I., Einarsson, C., Eggertsen, G. and Gáfvels, M.

Thyroid hormone suppresses hepatic sterol 12α-hydroxylase (CYP8B1) activity and messenger ribonucleic acid in rat liver: Failure to define known thyroid hormone response elements in the gene (1438) 167

Aoki, J., see Takizawa, M. (1438) 301

Arai, H., see Takizawa, M. (1438) 301

Arancia, G., see Ferretti, A. (1438) 329

Araya, Z. and Wikvall, K.

6α-Hydroxylation of taurochenodeoxycholic acid and lithocholic acid by CYP3A4 in human liver microsomes (1438) 47

Arita, H., see Yokota, Y. (1438) 213

Artico, M., see Cocco, L. (1438) 295

Baba, T., see Okamura, N. (1438) 377

Baker, R.R. and Chang, H.-y.

Evidence for two distinct lysophospholipase activities that degrade lysophosphatidylcholine and lysophosphatidic acid in neuronal nuclei of cerebral cortex (1438) 253

Bakillah, A., see Gedde-Dahl, A. (1438) 73

Bakovic, M., Waite, K., Tang, W., Tabas, I. and Vance, D.E.

Transcriptional activation of the murine CTP:phosphocholine cytidylyltransferase gene (*Ctpct*): combined action of upstream stimulatory and inhibitory *cis*-acting elements (1438) 147

Billi, A.M., see Cocco, L. (1438) 295

Björkhem, I., see Andersson, U. (1438) 167

Bocan, T.M.A., see Ramharack, R. (1438) 322

Calcabrini, A., see Ferretti, A. (1438) 329

Chang, H.-y., see Baker, R.R. (1438) 253

Chen, Q., see Yin, F.Q. (1438) 63

Cocco, L., Rubbini, S., Manzoli, L., Billi, A.M., Faenza, I., Peruzzi, D., Matteucci, A., Artico, M., Gilmour, R.S. and Rhee, S.G. Inositides in the nucleus: presence and characterisation of the isozymes

of phospholipase β family in NIH 3T3 cells (1438) 295

Dacheux, F., see Okamura, N. (1438) 377

Dacheux, J.-L., see Okamura, N. (1438) 377

Deans, S.G., see Youdim, K.A. (1438) 140

Dickson, R.C. and Lester, R.L.

Metabolism and selected functions of sphingolipids in the yeast Saccharomyces cerevisiae (1438) 305

Dobretsov, M., see Stimers, J.R. (1438) 359

Dowhan, W., see Rilfors, L. (1438) 281

Edwards, K., see Rilfors, L. (1438) 281

Eggertsen, G., see Andersson, U. (1438) 167

Einarsson, C., see Andersson, U. (1438) 167

Faenza, I., see Cocco, L. (1438) 295

Feinmark, S.J., see Rybina, I.V. (1438) 199

Ferretti, A., Knijn, A., Iorio, E., Pulciani, S., Giambenedetti, M., Molinari, A., Meschini, S., Stringaro, A., Calcabrini, A., Freitas, I., Strom, R., Arancia, G. and Podo, F.

Biophysical and structural characterization of ¹H-NMR-detectable mobile lipid domains in NIH-3T3 fibroblasts (1438) 329

Frank, P.G., see Moreau, R. (1438) 38

Frank, S., Hrzenjak, A., Kostner, K., Sattler, W. and Kostner, G.M. Effect of tranexamic acid and δ-aminovaleric acid on lipoprotein(a) metabolism in transgenic mice (1438) 99

Freitas, I., see Ferretti, A. (1438) 329

Fujiki, Y., see Saito, M. (1438) 55

Gåfvels, M., see Andersson, U. (1438) 167

Gedde-Dahl, A., Bakillah, A., Hussain, M.M. and Rustan, A.C. Tetradecylthioacetic acid (a 3-thia fatty acid) impairs secretion of oleic acid-induced triacylglycerol-rich lipoproteins in CaCo-2 cells (1438) 73

Giambenedetti, M., see Ferretti, A. (1438) 329

Gilmour, R.S., see Cocco, L. (1438) 295

Goldman, R., Moshonov, S. and Zor, U. Calcium-dependent PAF-stimulated generation of reactive oxygen spe-

cies in a human keratinocyte cell line (1438) 349 Golyshin, P.N., see Yakimov, M.M. (1438) 273

Gómez-Muñoz, A., O'Brien, L. and Steinbrecher, U.P.

The platelet-activating factor receptor antagonist L-659,989 inhibits phospholipase D activity (1438) 247

Grant, D.F., see Stimers, J.R. (1438) 359

Hagerman, R.A., see Trotter, P.J. (1438) 223

Hanasaki, K., see Yokota, Y. (1438) 213

Haraldsson, S., see Rilfors, L. (1438) 281

Hastings, S.L., see Stimers, J.R. (1438) 359

Hattori, M., see Takizawa, M. (1438) 301 Havinga, R., see Minich, D.M. (1438) 111

Himmete S. and Ohamana N. (1438) 27

Hiramoto, S., see Okamura, N. (1438) 377

Hrzenjak, A., see Frank, S. (1438) 99

Hussain, M.M., see Gedde-Dahl, A. (1438) 73

Imperiale, M.J., see Ramharack, R. (1438) 322

Inoue, H., see Kinoshita, T. (1438) 120

Inoue, K., see Takizawa, M. (1438) 301

Inouye, M., Mio, T. and Sumino, K.

Formation of 9-hydroxy linoleic acid as a product of phospholipid peroxidation in diabetic erythrocyte membranes (1438) 204

Iorio, E., see Ferretti, A. (1438) 329

Iwamori, M., see Saito, M. (1438) 55

Jaffrézou, J.-P., see Levade, T. (1438) 1

Jin, Y.-Z., see Okamura, N. (1438) 377

Jude, A.R., see Stimers, J.R. (1438) 359

Kalivianakis, M., see Minich, D.M. (1438) 111

Kamisaka, Y., Noda, N., Sakai, T. and Kawasaki, K.

Lipid bodies and lipid body formation in an oleaginous fungus, Mortierella ramanniana var. angulispora (1438) 185

Kamoshita, S., see Saito, M. (1438) 55

Kang, L.-T., Phillips, T.M. and Vanderhoek, J.Y.

Novel membrane target proteins for lipoxygenase-derived mono(S)hydroxy fatty acids (1438) 388

Kashima, T., see Okamura, N. (1438) 377

Kawasaki, K., see Kamisaka, Y. (1438) 185

Kim, Y.P., Yamada, M., Lim, S.S., Lee, S.H., Ryu, N., Shin, K.H. and Ohuchi, K.

Inhibition by tectorigenin and tectoridin of prostaglandin E₂ production and cyclooxygenase-2 induction in rat peritoneal macrophages (1438) 399

Kinoshita, T., Takahashi, Y., Sakashita, T., Inoue, H., Tanabe, T. and Yoshimoto, T.

Growth stimulation and induction of epidermal growth factor receptor by overexpression of cyclooxygenases 1 and 2 in human colon carcinoma cells (1438) 120

Kiuchi, S., see Okamura, N. (1438) 377

Knijn, A., see Ferretti, A. (1438) 329

Kobayashi, T., see Yokota, Y. (1438) 213

Kostner, G.M., see Frank, S. (1438) 99

Kostner, K., see Frank, S. (1438) 99

Kuipers, F., see Minich, D.M. (1438) 111

Laura Giuliano,, see Yakimov, M.M. (1438) 273

Lee, S.H., see Kim, Y.P. (1438) 399

Lester, R.L., see Dickson, R.C. (1438) 305

Levade, T. and Jaffrézou, J.-P.

Signalling sphingomyelinases: which, where, how and why? (1438) 1

Lewis, P., see Meng, Q.-H. (1438) 369

Lim, S.S., see Kim, Y.P. (1438) 399

Lin, B., see Saito, M. (1438) 55

Liscum, L. and Munn, N.J.

Intracellular cholesterol transport (1438) 19

Manjunath, P., see Moreau, R. (1438) 175

Manjunath, P., see Moreau, R. (1438) 38

Manzoli, L., see Cocco, L. (1438) 295

Marcel, Y.L., see Moreau, R. (1438) 38

Matsuo, N., see Takizawa, M. (1438) 301

Matteucci, A., see Cocco, L. (1438) 295

McNeill, G., see Truitt, A. (1438) 239

Meng, Q.-H., Lewis, P., Wähälä, K., Adlercreutz, H. and Tikkanen, M.J. Incorporation of esterified soybean isoflavones with antioxidant activity into low density lipoprotein (1438) 369

Meschini, S., see Ferretti, A. (1438) 329

Meyer, H., see Yakimov, M.M. (1438) 273

Minich, D.M., Kalivianakis, M., Havinga, R., van Goor, H., Stellaard, F., Vonk, R.J., Kuipers, F. and Verkade, H.J.

Bile diversion in rats leads to a decreased plasma concentration of linoleic acid which is not due to decreased net intestinal absorption of dietary linoleic acid (1438) 111

Mio, T., see Inouye, M. (1438) 204

Molinari, A., see Ferretti, A. (1438) 329

Moreau, R. and Manjunath, P.

Characterization of lipid efflux particles generated by seminal phospholipid-binding proteins (1438) 175

Moreau, R., Frank, P.G., Perreault, C., Marcel, Y.L. and Manjunath, P. Seminal plasma choline phospholipid-binding proteins stimulate cellular cholesterol and phospholipid efflux (1438) 38

Moshonov, S., see Goldman, R. (1438) 349

Munn, N.J., see Liscum, L. (1438) 19

Nakazato, H., see Yokota, Y. (1438) 213

Niemi, A., see Rilfors, L. (1438) 281

Noda, N., see Kamisaka, Y. (1438) 185

Nomura, T., see Takizawa, M. (1438) 301

O'Brien, L., see Gómez-Muñoz, A. (1438) 247

Ohuchi, K., see Kim, Y.P. (1438) 399

Oka, A., see Saito, M. (1438) 55

Okamura, N., Kiuchi, S., Tamba, M., Kashima, T., Hiramoto, S., Baba, T., Dacheux, F., Dacheux, J.-L., Sugita, Y. and Jin, Y.-Z.

A porcine homolog of the major secretory protein of human epididymis, HE1, specifically binds cholesterol (1438) 377

Ono, T., see Yokota, Y. (1438) 213

Perreault, C., see Moreau, R. (1438) 38

Peruzzi, D., see Cocco, L. (1438) 295

Phillips, M.C., see Sakr, S.W. (1438) 85

Phillips, T.M., see Kang, L.-T. (1438) 388

Podo, F., see Ferretti, A. (1438) 329

Pulciani, S., see Ferretti, A. (1438) 329

Qiao, N., Takahashi, Y., Takamatsu, H. and Yoshimoto, T.

Leukotriene A synthase activity of purified mouse skin arachidonate 8-lipoxygenase expressed in *Escherichia coli* (1438) 131

Ramharack, R., Bocan, T.M.A., Imperiale, M.J. and Spahr, M.A.

Recombinant adenovirus vector mediated expression of lipoprotein (a) [Lp(a)] in rabbit plasma (1438) 322

Rhee, S.G., see Cocco, L. (1438) 295

Rilfors, L., Niemi, A., Haraldsson, S., Edwards, K., Andersson, A.-S. and Dowhan, W.

Reconstituted phosphatidylserine synthase from *Escherichia coli* is activated by anionic phospholipids and micelle-forming amphiphiles (1438) 281

Rothblat, G.H., see Sakr, S.W. (1438) 85

Rubbini, S., see Cocco, L. (1438) 295

Rustan, A.C., see Gedde-Dahl, A. (1438) 73

Rybina, I.V. and Feinmark, S.J.

Alteration of human leukotriene A_4 hydrolase activity after site-directed mutagenesis: serine-415 is a regulatory residue (1438) 199

Ryu, N., see Kim, Y.P. (1438) 399

Saito, M., Iwamori, M., Lin, B., Oka, A., Fujiki, Y., Shimozawa, N., Kamoshita, S., Yanagisawa, M. and Sakakihara, Y.

Accumulation of glycolipids in mutant Chinese hamster ovary cells (Z65) with defective peroxisomal assembly and comparison of the metabolic rate of glycosphingolipids between Z65 cells and wild-type CHO-K1 cells (1438) 55

Sakai, T., see Kamisaka, Y. (1438) 185

Sakakihara, Y., see Saito, M. (1438) 55

Sakashita, T., see Kinoshita, T. (1438) 120

Sakr, S.W., Williams, D.L., Stoudt, G.W., Phillips, M.C. and Rothblat, G.H.

Induction of cellular cholesterol efflux to lipid-free apolipoprotein A-I by cAMP (1438) 85

Sattler, W., see Frank, S. (1438) 99

Shimozawa, N., see Saito, M. (1438) 55

Shin, K.H., see Kim, Y.P. (1438) 399

Spahr, M.A., see Ramharack, R. (1438) 322

Sprecher, H., see Yin, F.Q. (1438) 63

Steinbrecher, U.P., see Gómez-Muñoz, A. (1438) 247

Stellaard, F., see Minich, D.M. (1438) 111

Stimers, J.R., Dobretsov, M., Hastings, S.L., Jude, A.R. and Grant, D.F. Effects of linoleic acid metabolites on electrical activity in adult rat ventricular myocytes (1438) 359

Stoudt, G.W., see Sakr, S.W. (1438) 85

Stringaro, A., see Ferretti, A. (1438) 329

Strom, R., see Ferretti, A. (1438) 329

Sugimoto, H. and Yamashita, S.

Characterization of the transacylase activity of rat liver 60-kDa lysophospholipase-transacylase. Acyl transfer from the sn-2 to the sn-1 position (1438) 264

Sugita, Y., see Okamura, N. (1438) 377

Sumino, K., see Inouye, M. (1438) 204

Tabas, I., see Bakovic, M. (1438) 147

Takahashi, Y., see Kinoshita, T. (1438) 120

Takahashi, Y., see Qiao, N. (1438) 131

Takamatsu, H., see Qiao, N. (1438) 131

Takizawa, M., Nomura, T., Wakisaka, E., Yoshizuka, N., Aoki, J., Arai, H., Inoue, K., Hattori, M. and Matsuo, N.

cDNA cloning and expression of human lactosylceramide synthase (1438) 301

Tamba, M., see Okamura, N. (1438) 377

Tanabe, T., see Kinoshita, T. (1438) 120

Tang, W., see Bakovic, M. (1438) 147

Tikkanen, M.J., see Meng, Q.-H. (1438) 369 Trotter, P.J., Hagerman, R.A. and Voelker, D.R.

A yeast strain defective in oleic acid utilization has a mutation in the RML2 gene (1438) 223

Truitt, A., McNeill, G. and Vanderhoek, J.Y.

Antiplatelet effects of conjugated linoleic acid isomers (1438) 239

van Goor, H., see Minich, D.M. (1438) 111

Vance, D.E., see Bakovic, M. (1438) 147

Vanderhoek, J.Y., see Truitt, A. (1438) 239

Vanderhoek, J.Y., see Kang, L.-T. (1438) 388

Verkade, H.J., see Minich, D.M. (1438) 111

Voelker, D.R., see Trotter, P.J. (1438) 223

Vonk, R.J., see Minich, D.M. (1438) 111

Wähälä, K., see Meng, Q.-H. (1438) 369

Waite, K., see Bakovic, M. (1438) 147

Wakisaka, E., see Takizawa, M. (1438) 301

Wikvall, K., see Araya, Z. (1438) 47

Williams, D.L., see Sakr, S.W. (1438) 85

Yakimov, M.M., Abraham, W.-R., Meyer, H., Laura Giuliano, and Golyshin. P.N.

Structural characterization of lichenysin A components by fast atom bombardment tandem mass spectrometry (1438) 273

Yamada, M., see Kim, Y.P. (1438) 399

Yamashita, S., see Sugimoto, H. (1438) 264

Yanagisawa, M., see Saito, M. (1438) 55

Yang, Y.-Z., see Andersson, U. (1438) 167

Yin, F.Q., Chen, Q. and Sprecher, H.

A comparison of the metabolism of $[3^{-14}C]$ -labeled 22- and 24-carbon (n-3) and (n-6) unsaturated fatty acids by rat testes and liver (1438) 63

Yokota, Y., Hanasaki, K., Ono, T., Nakazato, H., Kobayashi, T. and

Suppression of murine endotoxic shock by sPLA₂ inhibitor, indoxam, through group IIA sPLA₂-independent mechanisms (1438) 213

Yoshimoto, T., see Kinoshita, T. (1438) 120

Yoshimoto, T., see Qiao, N. (1438) 131

Yoshizuka, N., see Takizawa, M. (1438) 301

Youdim, K.A. and Deans, S.G.

Beneficial effects of thyme oil on age-related changes in the phospholipid C_{20} and C_{22} polyunsaturated fatty acid composition of various rat tissues (1438) 140

Zor, U., see Goldman, R. (1438) 349